



## Progress in computational movement analysis – towards movement data science

Somayeh Dodge , Song Gao , Martin Tomko & Robert Weibel

To cite this article: Somayeh Dodge , Song Gao , Martin Tomko & Robert Weibel (2020): Progress in computational movement analysis – towards movement data science, International Journal of Geographical Information Science, DOI: [10.1080/13658816.2020.1784425](https://doi.org/10.1080/13658816.2020.1784425)

To link to this article: <https://doi.org/10.1080/13658816.2020.1784425>



Published online: 23 Jun 2020.



Submit your article to this journal [↗](#)



View related articles [↗](#)



View Crossmark data [↗](#)



## Progress in computational movement analysis – towards movement data science

### Introduction

There has not been a time in the history of GIScience when movement analytics and mobility insights have played such an important role in policymaking as in today's global responses to the COVID-19 crisis (Oliver *et al.* 2020). Non-pharmaceutical interventions such as physical distancing measures and stay-at-home orders have slowed down mobility across the globe and disrupted normal flows of travelers, commuters, trades, etc. Today more than ever we recognize the significance of movement data and movement analytics in urban planning, crisis mitigation, public health (Wang and Taylor 2016, Li *et al.* 2019, Kraemer *et al.* 2020). While our community has played a major role in the progress of movement data analytics and advancing its methods and applications over the past two decades (Demšar *et al.* 2015, Dodge *et al.* 2016, Long *et al.* 2018, Dodge 2019, Miller *et al.* 2019), we still have to further advance developing methods that enable the large-scale characterization of mobility patterns and knowledge discovery in large mobility data (Scherrer *et al.* 2018). With ever-increasing access to large repositories of raw trajectory data contributed voluntarily or often involuntarily through the widespread use of cell-phones (Huang *et al.* 2019), location-aware apps and mobile services, the technology industry has gained an unprecedented data advantage to develop new computational movement analysis methods. Academic researchers often struggle to overcome barriers of data access to develop new mobility indices (e.g. estimates of mile travelled, percentage/duration of time at-home or at-work, foot traffic information, measures for movement regularity) as well as real-time mobility analytic methods to explore daily changes in mobility patterns and for digital contact tracing starting to proliferate recently (Kitchin 2020, Naghizade *et al.* 2020, Oliver *et al.* 2020). Yet, access to detailed data at fine granularity triggers major concerns regarding ethics and privacy (McKenzie *et al.* 2019), as well as the representativeness and adequacy of mobility indicators currently used for major policymaking and intervention planning (see Fillekes *et al.* 2019 for an example in the health sciences). We, as the scientific community, should stand at the forefront of research on advancing a 'responsible data science' of movement (Dodge 2019, Yang *et al.* 2020).

This special section further builds on previous efforts by the editorial team and others from the GIScience community and beyond to advance the body of knowledge in Computational Movement Analysis (CMA) (Laube 2014). CMA generally refers to series methods and analytical approaches to process, structure, visualize and analyze tracking data and movement patterns to facilitate knowledge discovery and modeling of movement. Specifically, this special section was proposed as part of a pre-conference workshop on Analysis of Movement Data (AMD 2018) at the GIScience 2018 meeting,

28 August 2018, Melbourne, Australia. The focus of this special section is on three aspects of CMA: (1) representation and modeling of movement (Buchin *et al.* 2019, Graser *et al.* 2020); (2) urban mobility analytics (Qiang and Xu 2019, Li *et al.* 2020) and (3) movement analytics using social media data (Ma *et al.* 2020, Xin and MacEachren 2020). With the papers presented in the special section, we highlight recent advancements in CMA with the development of methods and techniques for *big movement data analytics* and utilization of trajectories constructed using user-generated crowdsourced contents such as geo-tagged social media posts. Traditional CMA methods were often developed and evaluated using a smaller set of movement data involving smaller numbers of individuals and contextual variables. As the momentum to generate more geo-enriched movement data at large volumes, high frequencies and for longer durations continues, this is a timely and significant achievement towards movement data science (Dodge 2019). As the papers of this special section illustrate, movement data science leverages the advancements in big data analytics, cyberinfrastructure, parallel computing and data fusion to enhance the analysis of large, multi-faceted and multi-sourced movement data (Dodge 2019). Below we summarize the six original papers presented in this special section.

## Representation and modeling of movement

Graser *et al.* (in this issue) propose a new model named Massive Movement Model ( $M^3$ ) to summarize patterns and variations in movement parameters (e.g. speed, direction and their derivatives).  $M^3$  supports exploratory data analysis and hypothesis generation using a scalable and distributed framework for the representation of massive trajectory dataset using a grid-based approach. The novelty of  $M^3$  lies in the use of multiple data-driven prototypes per grid cell instead of simply aggregating movement parameters in a single value. The authors demonstrate the performance of their proposed model using two large tracking data sets of ship and vehicle movements including 3.9 billion GPS records.

Group diagrams proposed by Buchin *et al.* (in this issue) offer a new approach for representing and summarizing groups of trajectories while maintaining the spatiotemporal structure of the groups' movement patterns. The proposed approach is a generic algorithm and takes three inputs: a distance threshold, a similarity measure and a minimality criterion. This article analyzes the algorithmic complexity to compute the group diagrams with different similarity measures including the equal-time distance (when objects move simultaneously), the similar-time distance (when objects move within a given time shift) and the Fréchet distance (when objects move independently of time constraints). A case study to demonstrate the proposed group diagrams is conducted using the GPS tracks of one goose family on their spring migration route.

## Urban mobility analytics

Li *et al.* (in this issue) use dockless bike sharing data as a new form of mobility for spatial, temporal and statistical analysis of intra-urban human movement. Using data of recorded bike trips, the study quantifies short-trip transportation patterns in Shanghai, China. This work provides a new framework to integrate multiple sources of contextual and

movement data such as the road and transit networks (including bike paths and public transit), information on road characteristics and urban land-use to explore space-time biking patterns at both the individual level and aggregate level in an urban area.

Qiang and Xu (in this issue) use crowdsourced traffic data in Google Maps to evaluate road network resilience during natural hazards. A methodological framework of urban road network resilience measurements concerning both the reduction of transportation accessibility due to disturbance and the speed of recovering to normal performance is proposed. The performance of the proposed framework is validated using a winter storm case study in the metropolitan area of Cleveland, Ohio, USA. The results show that low-accessibility communities in normal conditions may also have lower road network resilience in an emergency, which can inform disaster management and transportation planning for reducing natural hazard impacts on urban mobility.

### **Movement analytics using social media data**

Ma *et al.* (in this issue) analyze the heterogeneous human mobility patterns detected from geo-tagged tweets along road networks in two metropolitan areas: London and Tokyo. Specifically, the heterogeneity of urban human movements is analyzed by using a number of measures, including the number of tweets per trajectory, trajectory lengths and durations, the size of detected spatial hotspots, and observed movement flows along the road networks. The power-law function fits all these metric distributions well (e.g. a minority of road segments accounts for a majority of urban traffic). The study then conducts a two-level agent-based simulation that incorporates the scaling characteristics of urban space and human mobility using each of three distance types – metric, angular and combined. The correlation between street-based observed movement flow and simulated flow within the selected urban hotspots is found to be highest when using the metric-angular-combined strategy.

Xin and MacEachren (in this issue) address the need to characterize the travel patterns of attendees of large-scale events. Such travel patterns facilitate understanding the dynamics of social events in cities and may well be relevant for applications in the COVID-19 pandemic as highlighted in the introduction of this editorial. The authors note that the labor-intensive data collection from travel diaries has formed a major impediment to the scientific study of event travel patterns. To overcome this data bottleneck, the authors apply topic modeling to geotagged data from social networks (i.e. Twitter). As such, they enrich the spatiotemporal data of time and location with thematic information and develop a data-mining approach to identify atypical behaviors of event attendees.

### **Conclusion: towards a movement data science**

The work presented in this special section responds to previously identified gaps in the CMA literature (Dodge *et al.* 2016, Long *et al.* 2018, Dodge 2019, Miller *et al.* 2019) on computationally intensive movement data analytics and visualization (Graser *et al.*, in this issue), representation of collective movement and interactions in groups of trajectories (Buchin *et al.*, in this issue), sensor fusion and data integration to contextualize movement (Li *et al.* and Ma *et al.*, in this issue), as well as movement pattern analysis using

crowdsourced data (Xin and MacEachren; Qiang and Xu, in this issue). These studies and the research presented in a preceding IJGIS special section on 'Big Spatiotemporal Data Analytics' (Yang *et al.* 2020) highlight important achievements in data-driven approaches to modeling, representation and analytics of movement using 'big' mobility and crowdsourced data, forming one of the pillars of the 'data science framework for movement' (Dodge 2019) to advance the knowledge and understanding of movement processes and individuals' behavior.

In 2020, with the COVID-19 pandemic, we witness a change in the way large mobility data are shared and how access to geo-enriched mobility data is streamlined through data dashboards (Gao *et al.* 2020), and 'open data' and 'data for good'<sup>1</sup> initiatives supported by commercial companies, such as Facebook, Cuebiq, SafeGraph, Google, Apple and Descartes Labs. With the shift in data access and rapid advancement in computational approaches, it is now time to further the development of real-time analysis, data-driven and theory-driven predictive movement models as another pillar of movement data science (Dodge 2019). Modeling of movement is key to the prediction of critical changes in real-time dynamic problems such as disease outbreak, climate-induced migrations, or human-wildlife conflicts.

In contrast to our previous special issues in the area of movement data analysis (Dodge *et al.* 2016, Long *et al.* 2018), which mainly used animal tracking data to demonstrate the applicability of CMA methods, the majority of papers in this issue focused on human mobility, with the exception of the work presented in Buchin *et al.* This also reflects the increasing access to human mobility data and the availability of crowdsourced data at higher temporal resolution. However, further research is required to bridge the gap between CMA for human and animal movement towards an integrated science of movement (Miller *et al.* 2019). Furthermore, the fusion of Eulerian and Lagrangean movement perspectives has been understudied in CMA (Laube 2014, Long *et al.* 2018, Dodge 2019). In addition, visualization still remains a key challenge in the dissemination and communication of patterns and knowledge of movement, especially when dealing with large and long-term movement data sets (Dodge 2019, Miller *et al.* 2019). In this issue, Graser *et al.* and Buchin *et al.* responded to this challenge by featuring different representation techniques to summarize patterns of movement in both network and Euclidean spaces.

Moving forward, we see a clear need for more reproducible research in CMA, following a growing mega-trend in data-driven sciences. Data quality and privacy challenges as well as uncertainty in data, analytics, and modeling have been largely overlooked in the CMA literature so far. For a more responsible movement data science, careful considerations should be given to the quality, uncertainty and representativeness of 'large' mobility data that are being used for generating important mobility insights for policymaking. Lastly, with the recent exciting developments in data access, as a community, we should think about leveraging this advantage to make movement data science more relevant to real-world problems for the mitigation of societal and environmental challenges such as disease outbreaks, population mobility, natural hazards and human-wildlife conflicts.

## Note

1. <https://www.cuebiq.com/about/data-for-good/>

## Disclosure statement

No potential conflict of interest was reported by the author(s).

## Notes on contributors

**Somayeh Dodge** is Assistant Professor of Geographic Information Science at the University of California Santa Barbara. Her research interests include data-driven analytics, visualization, and modeling approaches to study movement in human and ecological systems.

**Song Gao** is an Assistant Professor in GIScience at the Department of Geography, University of Wisconsin-Madison. He holds a Ph.D. in Geography at the University of California Santa Barbara. His main research interests include Place-Based GIS, Geospatial Data Science, Human Mobility and Social Sensing.

**Martin Tomko** is a Senior Lecturer in spatial information science at the University of Melbourne. His research focuses on computational methods for the analysis of spatial behavior and interactions.

**Robert Weibel** is Professor of Geographic Information Science at the University of Zurich, Switzerland. He is interested in mobility analytics with applications in health, ecology and transportation; spatial analysis for linguistic studies; and computational cartography.

## References

- Buchin, M., Kilgus, B., and Kölzsch, A., 2019. Group diagrams for representing trajectories. *International Journal of Geographical Information Science*, 1–33. doi:10.1080/13658816.2019.1684498
- Demšar, U., et al., 2015. Analysis and visualisation of movement: an interdisciplinary review. *Movement Ecology*, 3 (1), 5. doi:10.1186/s40462-015-0032-y
- Dodge, S., 2019. A data science framework for movement. *Geographical Analysis*, 1–21. <https://doi.org/10.1111/gean.12212>
- Dodge, S., et al., 2016. Analysis of movement data. *International Journal of Geographical Information Science*, 30 (5), 825–834. doi:10.1080/13658816.2015.1132424
- Fillekes, M.P., et al., 2019. Towards a comprehensive set of GPS-based indicators reflecting the multidimensional nature of daily mobility for applications in health and aging research. *International Journal of Health Geographics*, 18, 17. doi:10.1186/s12942-019-0181-0
- Gao, S., et al., 2020. Mapping county-level mobility pattern changes in the United States in response to COVID-19. *SIGSPATIAL Special*, 12 (1), 16–26. doi:10.1145/3404111.3404115
- Graser, A., Widhalm, P., and Dragaschnig, M., 2020. The M3 massive movement model: a distributed incrementally updatable solution for big movement data exploration. *International Journal of Geographical Information Science*. doi:10.1080/13658816.2020.1776293
- Huang, H., Cheng, Y., and Weibel, R., 2019. Transport mode detection based on mobile phone network data: A systematic review. *Transportation Research Part C: Emerging Technologies*, 101, 297–312. doi:10.1016/j.trc.2019.02.008
- Kitchin, R., 2020. Using digital technologies to tackle the spread of the coronavirus: panacea or folly? *The Programmable City Working Paper*, 44 (April), 1–24.
- Kraemer, M.U.G., et al., 2020. The effect of human mobility and control measures on the COVID-19 epidemic in China. *Science*, 4218 (February 2019), eabb4218.
- Laube, P., 2014. *Computational movement analysis*. 1st. Springer International Publishing.

- Li, M., et al., 2019. Dynamic estimation of individual exposure levels to air pollution using trajectories reconstructed from mobile phone data. *International Journal of Environmental Research and Public Health*, 16 (22), 4522. doi:10.3390/ijerph16224522
- Li, W., et al., 2020. Understanding intra-urban human mobility through an exploratory spatiotemporal analysis of bike-sharing trajectories. *International Journal of Geographical Information Science*, 1–24. doi:10.1080/13658816.2020.1712401
- Long, J.A., et al., 2018. Moving ahead with computational movement analysis. *International Journal of Geographical Information Science*, 32 (7), 1275–1281. doi:10.1080/13658816.2018.1442974
- Ma, D., et al., 2020. Exploring the heterogeneity of human urban movements using geo-tagged tweets. *International Journal of Geographical Information Science*, 1–22. doi:10.1080/13658816.2020.1718153
- McKenzie, G., Keßler, C., and Andris, C., 2019. Geospatial privacy and security. *Journal of Spatial Information Science*, 19 (19), 53–55.
- Miller, H.J., et al., 2019. Towards an integrated science of movement: converging research on animal movement ecology and human mobility science. *International Journal of Geographical Information Science*, 33 (5), 855–876. doi:10.1080/13658816.2018.1564317
- Naghizade, E., Chan, J., and Tomko, M., 2020. From small sets of GPS trajectories to detailed movement profiles: quantifying personalized trip-dependent movement diversity. *International Journal of Geographical Information Science*, 1–26. doi:10.1080/13658816.2020.1730849
- Oliver, N., et al., 2020. Mobile phone data for informing public health actions across the COVID-19 pandemic life cycle. *Science Advances*, 0764, eabc0764. doi:10.1126/sciadv.abc0764
- Qiang, Y. and Xu, J., 2019. Evaluating accessibility resilience of road network in natural hazard using crowdsourced traffic data. *International Journal of Geographical Information Science*, 1–17. doi:10.1080/13658816.2019.1694681
- Scherrer, L., et al., 2018. Travelers or locals? Identifying meaningful sub-populations from human movement data in the absence of ground truth. *EPJ Data Science*, 7, 1. doi:10.1140/epjds/s13688-018-0147-7
- Wang, Q. and Taylor, J.E., 2016. Patterns and limitations of urban human mobility resilience under the influence of multiple types of natural disaster. *PloS One*, 11 (1), 1–14.
- Xin, Y. and MacEachren, A.M., 2020. Characterizing traveling fans: a workflow for event-oriented travel pattern analysis using Twitter data. *International Journal of Geographical Information Science*, 1–20. doi:10.1080/13658816.2020.1770259
- Yang, C., et al., 2020. Big Spatiotemporal Data Analytics: a research and innovation frontier. *International Journal of Geographical Information Science*, 34 (6), 1075–1088. doi:10.1080/13658816.2019.1698743

Somayeh Dodge

University of California Santa Barbara Santa Barbara, USA

 [sdodge@ucsb.edu](mailto:sdodge@ucsb.edu)  <http://orcid.org/0000-0003-0335-3576>

Song Gao

University of Wisconsin-Madison Madison, USA

 <http://orcid.org/0000-0003-4359-6302>

Martin Tomko

University of Melbourne Melbourne, Australia

 <http://orcid.org/0000-0002-5736-4679>

Robert Weibel

University of Zurich Zurich, Switzerland

 <http://orcid.org/0000-0002-2425-0077>

Received 11 June 2020; Accepted 15 June 2020